

SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK

**Other means of identification**

**Synonyms:** Silicone Sealant

**Recommended use and restriction on use**

**Recommended use:** Industrial use

**Restrictions on use:** Not known.

**Manufacturer/Importer/Supplier/Distributor Information**

**Supplier's information** : **Hexion Canada Inc.**  
12621 156th Street NW  
Edmonton AB T5V 1E1  
Canada

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials LLC  
260 Hudson River Road  
Waterford NY 12188

**Contact person** : commercial.services@momentive.com  
**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**  
**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Toxic to reproduction

Category 2

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Warning

**Hazard Statement:** H361; Suspected of damaging fertility or the unborn child.  
**Precautionary Statements**

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

- Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
- Response:** IF exposed or concerned: Get medical advice/attention.
- Storage:** Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Unknown toxicity - Health**

Acute toxicity, oral	0.61 %
Acute toxicity, dermal	0.61 %
Acute toxicity, inhalation, vapor	0.61 %
Acute toxicity, inhalation, dust or mist	0.61 %

**Other hazards which do not result in GHS classification:** None.

**3. Composition/information on ingredients**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Methyltriacetoxysilane	4253-34-3	2.9199%
Octamethylcyclotetrasiloxane	556-67-2	1.5269%
Acetic acid	64-19-7	0.2231%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

- General information:** No action shall be taken involving any personal risk or without suitable training.
- Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water.
- Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
- Skin Contact:** To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get medical advice/attention.
- Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treatment is symptomatic and supportive.

**5. Fire-fighting measures**

**General Fire Hazards:** Use standard firefighting procedures and consider the hazards of other involved materials.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Pay attention to the corrosive effects arising from contact with water.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters:** Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.  
Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep container closed.

**Methods and material for containment and cleaning up:** Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**Notification Procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

**7. Handling and storage**

**Precautions for safe handling:** Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment. Sensitivity to static discharge is not expected.

**Conditions for safe storage, including any incompatibilities:** Keep out of the reach of children. Keep container tightly closed in a cool, well-ventilated place.

**Storage conditions:** No data available.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Acetic acid	STEL	15 ppm 37 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	TWA	10 ppm 25 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Acetic acid	STEL	15 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
	TWA	10 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Acetic acid	TWA	10 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2015)
	STEL	15 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2015)
Acetic acid	STEL	15 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWA	10 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Acetic acid	8 HR ACL	10 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	15 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Acetic acid	TWA	10 ppm 25 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	15 ppm 37 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Acetic acid	TWA	10 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	15 ppm	US. ACGIH Threshold Limit Values (03 2015)

**Appropriate Engineering Controls** Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**General information:** No data available.

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

<b>Eye/face protection:</b>	No data available.
<b>Skin Protection</b>	
<b>Hand Protection:</b>	No data available.
<b>Skin protection:</b>	Wear suitable protective clothing and eye/face protection.
<b>Respiratory Protection:</b>	If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
<b>Hygiene measures:</b>	Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

**9. Physical and chemical properties**

**Appearance**

<b>Physical state:</b>	solid
<b>Form:</b>	Paste
<b>Color:</b>	Black
<b>Odor:</b>	Acetic acid.
<b>Odor threshold:</b>	
<b>pH:</b>	Not determined.
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	No data available.
<b>Flash Point:</b>	> 93 °C (estimated)
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	ca. 1.060 g/cm <sup>3</sup>
<b>Relative density:</b>	ca. 1.06
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Insoluble
<b>Solubility (other):</b>	Soluble in toluene
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	No data available.

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

**10. Stability and reactivity**

<b>Reactivity:</b>	No dangerous reaction if used as recommended.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Hazardous polymerisation does not occur.
<b>Conditions to avoid:</b>	Reacts with water liberating small amounts of acetic acid.
<b>Incompatible Materials:</b>	Strong Acids, Strong Bases Water.
<b>Hazardous Decomposition Products:</b>	Carbon dioxide Acetic acid. Silicon dioxide. Formaldehyde. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

**11. Toxicological information**

**Information on likely routes of exposure**

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

<b>Oral</b>	
<b>Product:</b>	ATEmix: 5,906.07 mg/kg
<b>Dermal</b>	
<b>Product:</b>	No data available.
<b>Specified substance(s):</b>	

---

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

Octamethylcyclotetra siloxane LD 50LD 50 (Rat): 2,400 mg/kg

Acetic acid LD 50LD 50 (Rabbit): 1,060 mg/kg

**Inhalation**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane LC50 (Rat): 36 mg/l

Acetic acid TDLo (Rat): 16 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Methyltriacetoxysilane OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Corrosive

Octamethylcyclotetrasiloxane OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rat): No skin irritation

**Serious Eye Damage/Eye Irritation**

**Product:** Not irritating

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

**ACGIH Carcinogen List:**

No carcinogenic components identified

**ACGIH Carcinogens:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane  
Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)  
Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

**In vivo**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane  
Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:**

Contains dibutyltin compound(s) - May impair fertility. May cause harm to unborn child.

**Other effects of overexposure:**

Acetic acid released during curing.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Acetic acid  
LC50 (Lepomis macrochirus, 96 h): 75 mg/l  
LC0 (Leuciscus idus): 368 mg/l  
LC100 (Leuciscus idus): 452 mg/l  
LC50 (Leuciscus idus, 48 h): 410 mg/l



**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

LC50 (Pimephales promelas, 96 h): 88 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Acetic acid LC0 (Daphnia magna): 150 mg/l  
EC50 (Daphnia magna, 24 h): 95 mg/l

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane 3.7 % (29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels (Headspace Test)) Not readily biodegradable.

Acetic acid 60 % (5 d, No data available.)

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane Fathead Minnow, Bioconcentration Factor (BCF): 12.40

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** Log Kow: No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

Methyltriacetoxysilane No data available.

Octamethylcyclotetrasiloxane No data available.

Acetic acid No data available.

**Other adverse effects:** No data available.

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

**13. Disposal considerations**

- General information:** The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.
- Disposal instructions:** Disposal should be made in accordance with federal, state and local regulations.
- Contaminated Packaging:** Dispose of as unused product.

**14. Transport information**

- DOT**  
Not regulated.
- IMDG**  
Not regulated.
- IATA**  
Not regulated.
- Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. Regulatory information**

**Canada Federal Regulations  
List of Toxic Substances (CEPA, Schedule 1)**

**Chemical Identity**  
Octamethylcyclotetrasiloxane

**Export Control List (CEPA 1999, Schedule 3)**  
Not Regulated

**National Pollutant Release Inventory (NPRI)  
Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements**  
NPRI PT5 Not Regulated

**Canada. Canadian Environmental Protection Act (CEPA). National Pollutant Release Inventory (NPRI) (Parts 1-4)**  
NPRI Not Regulated

**Greenhouse Gases**  
Not Regulated

**Controlled Drugs and Substances Act**

CA CDSI	Not Regulated
CA CDSII	Not Regulated
CA CDSIII	Not Regulated
CA CDSIV	Not Regulated
CA CDSV	Not Regulated
CA CDSVII	Not Regulated

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**  
 CA CDSVIII                      Not Regulated

**Precursor Control Regulations**

**Chemical Identity**  
 Acetic Anhydride

**Inventory Status:**

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	q (quantity restricted)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan. Taiwan inventory (CSNN):	n (Negative listing)	Remarks: None.

<b>16. Other information, including date of preparation or last revision</b>
--

<b>Issue Date:</b>	04/04/2017
<b>Revision Date:</b>	No data available.
<b>Version #:</b>	1.3
<b>Further Information:</b>	No data available.

---

**SCS1003 12R-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) BLACK**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, \*, and TM indicate trademarks owned by or licensed to Momentive.